

# **theFloraof Buffelskloof NatureReserve**

**A provisional check-list of the plants of  
Buffelskloof Private Nature Reserve  
and the adjacent properties**

**Compiled by John Burrows**

**2002**

**Introduction**

This check-list is a list of plants recorded from Buffelskloof Private Nature Reserve and the properties adjacent to it, mainly those belonging to SAPPI (Kalmoesfontein & Uitkyk) and SAFCOL (Lisabon). The specimens are housed in the Buffelskloof Herbarium (BNRH) on the Nature Reserve. Sight records are appended with SO, or TL if the records are listed in the Buffelskloof Tree List.

The list is far from complete. Plant groups such as grasses (Poaceae), mosses and liverworts (Bryophyta) and fungi have barely been touched. On the other hand, the ferns (Pteridophyta) and trees have been well recorded and will yield few additions.

The code given in the right-hand column is the PRECIS (Pretoria Computerised Information System) number, as listed in *Plants of southern Africa: names and distribution* (1993), eds. Arnold & De Wet. This numbering system has been used in the herbarium sequence and is based on the arrangement of Dalla Torre & Harms's *Genera Siphonogamarum* (1907).

All listed species are housed in the herbarium unless otherwise stated, ie. if the name is appended by TL, SO, or JO (see below), and can be found under the number opposite the first-mentioned species in each genus that is represented in the herbarium.

### Key to symbols used:

**TL** = 'tree list' - species recorded in the *Check-list of Trees of Buffelskloof Nature Reserve* but not, as yet, collected for the herbarium.

**SO** = 'seen only' - distinctive and unmistakable species seen, but not yet collected.

**JO.546** = collections made by Jo Onderstall and identified by the National Botanical Institute, Pretoria.

**JO.BOOK** = plant recorded in Jo Onderstall's book *Wildflowers of the Lowveld and Escarpment* (vol. 1), the photograph having been taken on Buffelskloof Nature Reserve.

\* = exotic or introduced species.

## FUNGI (Hymenomycetes)

### AMANITACEAE

*Amanita excelsa* (Fr.) Kummer

*A. muscaria* (L.:Fr.) Kummer

*A. pantherina* (DC.:Fr.) Kummer  
*A. phalloides* (Vaill.:Fr.) Secr.  
*Termitomyces clypeatus* Heim  
*T. reticulatus* Van der Westhuizen & Eicker

#### **AGARICACEAE**

*Agaricus campestris* L.:Fr.  
*A. trisulphuratus* Berk.  
*Leucoagaricus leucothites* (Vitt.) Wasser  
*Macrolepiota zeyheri* (Berk.) Sing.

#### **COPRINACEAE**

*Coprinus comatus* (Muller:Fr.) S.F.Gray  
*C. picaceus*

#### **TRICHOLOMATACEAE**

*Collybia distorta* (Fr.) Quel.  
*Favolaschia thwaitesii* (Berk. & Br.) Singer  
*Laccaria laccata*  
*Merasmius*

#### **RUSSULACEAE**

*Lactaria deliciosus*  
*Lactaria hepaticus*

#### **CORTINARIACEAE**

*Gymnopilus junonius* (Fr.) Orton (syn. *Pholiota spectabilis*)

#### **BOLETACEAE**

*Boletus edulis* Bull.:Fr. [fig. 1.3.]  
*Suillus granulatus* (Linn.:Fr.) O.Kuntze  
*S. luteus*

#### **POLYPORACEAE**

*Lentinus stupeus* Klotzs  
*Lignosus sacer* (Fr.) Ryvarden  
*Polyporus arcularis* (Batsch.) Fr.  
*Pycnoporus sanguineus* (L.) Murr.  
*Trametes elegans* Spreng (syn. *Lenzites elegans* Pat.)

#### **STEREACEAE**

*Stereum ostrea* (Pers.) Boid.

#### **TELEPHORACEAE**

*Laxitextum bicolor* (Pers.:Fr.) Lentz

#### **GANODERMATACEAE**

*Ganoderma ?applanatum* (Pers.: Wallr.) Pat.  
*G. lucidum* (Leyss.:Fr.) Karst.

Other unplaced fungi  
*Tremella mesenterica* (Jelly Brain fungus)  
*Mucilago crustacea*  
*Pulcherricium caeruleum* (blue suede)

Myxomycetes  
Physaraceae  
*Physarum cinereum* ("Golf Balls")

## **FUNGI (Gasteromycetes)**

## CLATHRACEAE

*Aseroe rubra* Labillardiere  
*Clathrus archeri* (Berkeley) Ed. Fischer

## LYCOPERDACEAE

*Geastrum pectinatum* Pers.  
*G. triplex* Junghuhn  
*Lycoperdon perlatum* Pers.  
*Myriostoma coliforme* (Dickson & Persoon) Corda.  
*Podaxis pistillaris* (L.:Pers.) Morse

## SCLERODERMATACEAE

*Pisolithus tinctorius* (Pers.) Coker & Couch  
*Scleroderma citrinum* Pers.

## PHALLACEAE

*Dictyophora indusiata* (Venten. ex Pers.) Desv.  
*Itajahya galericulata* Möller  
*Mutinus* sp. cf. *caninus*

## BRYOPHYTA (Hepaticae)

(Note: all these specimens have been collected by visitors and are in Pretoria (PRE), or in Auckland University Herbarium, New Zealand (AKU)).

### MARCHANTIACEAE

*Dumortiera hirsuta* (Sw.) Nees (Calodendrum Falls) 0001027

### LUNULARIACEAE

*Lunularia cruciata* (L.) Dum. ex Lindenb. (High Forest) S.O.

### RADULACEAE

*Radula lindenbergiana* Gott. (near Lodge) 0001071

### PORELLACEAE

*Porella ?vallis-gratiae* (Gott.) S.Arnell 0001076

### JUBULLACEAE

*Frullania ericoides* (Nees) Mont. (near Lodge, Calod. Falls) 0001081  
*F.* sp. (Lodge)

### LEJEUNEACEAE

*Dicranolejeunea chrysophylla* (Lehm.) Grolle (near Lodge) 0001095  
*Lopholejeunea fragilis* Steph. (Calodendrum Falls) 0001102  
*Ptychanthus striatus* (Lehm. & Liebenb.) Nees (Calodendrum Falls) 0001108

### PLAGIOCHILACEAE

*Plagiochila ?crispulocaudata* Gott. (Calodendrum Falls) 0001127

## BRYOPHYTA (Musci)

### PALLAVICINIACEAE

*Symphogyna podophylla* (Thunb.) Nees & Mont. 9718100

<b>SPHAGNACEAE</b>		
	<i>Sphagnum capense</i> Hornsch.	9734300
<b>DICRANACEAE</b>		
	<i>Campylopus pilifer</i> Brid.	9738800
	<i>C. sp.</i> (JEB5993)	
	<i>C. sp.</i> (JEB 5994)	
<b>LEUCOBRYACEAE</b>		
	<i>Leucobryum acutifolium</i> (Mitt.) Cardot	9739500
<b>CALYMPERACEAE</b>		
	<i>Syrrophodon gaudichaudii</i> Mont.	
	9741100	
<b>POTTIACEAE</b>		
	<i>Tortella humilis</i> (Hedw.) Jenn.	9744800
	<i>Trichostomum brachydontium</i> Bruch	9745100
	<i>T. tenuirostre</i> (Hook.& Taylor) Lindb.	
<b>BRYACEAE</b>		
	<i>Brachymenium pulchrum</i> Hook.	9750100
	<i>Bryum andicola</i> Hook.	9750200
	<i>B. argenteum</i> Hedw.	
	<i>B. dichotomum</i> Hedw.	
	<i>B. viguieri</i> Ther.	
	<i>Rhodobryum keniae</i> (C.Müll.) Broth.	9751000
<b>BARTRAMIACEAE</b>		
	<i>Philonotis africana</i> (C.Müll.) Paris	9755400
<b>PTYCHOMITRIACEAE</b>		
	<i>Ptychomitrium subcrispatum</i> Thér.& P.Vard.	9757400
<b>ORTHOTRICHACEAE</b>		
	<i>Macrocoma tenuis</i> (Hook.& Grev.) Vitt. subsp. <i>tenuis</i>	9758100
	<i>Schlotheimia ferruginea</i> (Hook.& Grev.) Brid.	9758400
<b>LEUCODONTACEAE</b>		
	<i>Pterogoniadelphius assimilis</i> (Mull.Hal.) Ochyra & Zijlstra ( syn. <i>Leucodon assimilis</i> (C.Müll.) A.Jaeger)	9762670
<b>METEORACEAE</b>		
	<i>Papillaria africana</i> (C.Müll.) A.Jaeger	9765500
	<i>Pilotrichella pandurifolia</i> (C.Mull.) Jaeg. (spec. J.Braggins)	9765600
	<i>Trachypus bicolor</i> Reinw.& Hornsch. var. <i>viridulus</i> (Mitt.) Zanten	9763800
<b>LEPTODONTIACEAE</b>		
	<i>Leptodon smithii</i> (Hedw.) F.Weber & D.Mohr	9766300
<b>NECKERACEAE</b>		
	<i>Neckera valentiniana</i> Besch.	9766800
	<i>Porotrichum madagassum</i> Kiaer ex Besch.	9767500
<b>HYOPTERYGIACEAE</b>		
	<i>Hypopterygium laricinum</i> (Hook.) Brid.	97687000
<b>LESKEACEAE</b>		
	<i>Pseudoleskea sp.</i> (JEB 5999)	9772000

<b>THUIDACEAE</b>		
	<i>Haplocladium angustifolium</i> (Hampe & C.Müll.) Broth.	9771400
	<i>Thuidium</i> nr. <i>matarumense</i> Besch.	9773000
<b>BRACHYTHECIACEAE</b>		
	<i>Palamocladium leskeoides</i> (Hook.) E.Britton	9775700
<b>ENTODONTACEAE</b>		
	<i>Entodon macropodus</i> (Hedw.) C.Mull. (spec. J.Braggins)	9776500
<b>PLAGITHECIACEAE</b>		
	<i>Plagiothecium membranosulum</i> C.Müll.	9777300
<b>HYPNACEAE</b>		
	<i>Mittenothamnium</i> sp. (JEB 5974)	9780000
<b>POLYTRICHACEAE</b>		
	<i>Atrichum androgynum</i> (C.Müll.) A.Jaeger	9781100
	<i>Polytrichum commune</i> Hedw.	9781500
UNPLACED		
	<i>Orthostichella pandurifolia</i> (Müll.Hal.)W.R.Buck	
	<i>Leptodontium longicaule</i> Mitt.	
	<i>Hypodontium dregei</i> (Hornsch.) Müll.Hal.	
	<i>Syntrichia fragilis</i> (Taylor) Ochyra	9744500
<b>PTERIDOPHYTA</b>		
<b>LYCOPODIACEAE</b>		
	<i>Lycopodium carolinianum</i> L. var. <i>grandifolium</i> Spring.	20
	<i>L. cernuum</i> L.	
	<i>L. clavatum</i> L.	
	<i>L. gnidioides</i> L.f.	
	<i>L. verticillatum</i> L.f.	
<b>SELAGINELLACEAE</b>		
	<i>Selaginella caffrorum</i> (Milde) Hieron.	30
	<i>S. dregei</i> (Presl) Hieron.	
	<i>S. mitternii</i> Baker	
<b>EQUISETACEAE</b>		
	<i>Equisetum ramosissimum</i> Desf.	50
<b>OPHIOGLOSSACEAE</b>		
	<i>Ophioglossum lusoaffricanum</i> Welw. ex Prantl	60
	<i>O. polyphyllum</i> A.Br. ex Seub.	
	<i>O. reticulatum</i> L.	
	<i>O. vulgatum</i> L. subsp. <i>africanum</i> Pocock ex J.E.Burrows	
	var. <i>africanum</i>	
	subsp. <i>kilimandscharicum</i> (Hieron.) J.E.Burrows	
<b>MARATTIACEAE</b>		
	<i>Marattia fraxinea</i> J.E.Sm. ex J.F.Gmel. var. <i>salicifolia</i> (Schrad.) C.Chr.	70
<b>OSMUNDACEAE</b>		
	<i>Osmunda regalis</i> L. [fig. 2.3.]	80
	<i>Todea barbara</i> (L.) T.Moore	90

**SCHIZAEACEAE**

<i>Anemia dregeana</i> Kunze	100
<i>Mohria vestita</i> Baker	120
<i>M. marginalis</i> (Savigny) J.P.Roux	
<i>Schizaea pectinata</i> (L.) Swartz	130

**GLEICHENIACEAE**

<i>Dicranopteris linearis</i> (Burm.f.) Underw.	140
<i>Gleichenia polypodioides</i> (L.) J.E.Sm.	150
<i>G. umbraculifera</i> (Kunze) T.Moore	

**HYMENOPHYLLACEAE**

<i>Hymenophyllum tunbrigense</i> (L.) J.E.Sm.	160
<i>Trichomanes borbonicum</i> v.d.Bosch	170
<i>T. melanotrichum</i> Schlechtend.	
<i>T. rigidum</i> Swartz	

**CYATHEACEAE**

<i>Cyathea dregei</i> Kunze	175
-----------------------------	-----

**DENNSTAEDTIACEAE**

<i>Pteridium aquilinum</i> (L.) Kuhn subsp. <i>aquilinum</i> [fig. 2.4.]	260
--	-----

**ADIANTACEAE**

<i>Adiantum capillus-veneris</i> L.	300
<i>A. poiretii</i> Wikstr.	
<i>Cheilanthes eckloniana</i> (Kunze) Mett.	340
<i>C. hirta</i> Swartz var. <i>nemorosa</i> W. & N. Jacobsen	
<i>C. inaequalis</i> (Kunze) Mett. var. <i>buchananii</i> (Baker) Schelpe	
<i>C. multifida</i> (Swartz) Swartz var. <i>lacerata</i> N.C.Anthony	
<i>C. quadripinnata</i> (Forssk.) Kuhn	
<i>C. viridis</i> (Forssk.) Swartz var. <i>viridis</i> [fig. 2.2.]	
<i>Doryopteris concolor</i> (Langsd. & Fisch.) Kuhn	350
<i>Pityrogramma argentea</i> (Willd.) Domin	370
<i>Pteris catoptera</i> Kunze var. <i>catoptera</i>	380
<i>P. cretica</i> L.	
<i>P. dentata</i> Forssk.	
<i>P. vittata</i> L.	
<i>Pellaea calomelanos</i> (Swartz) Link var. <i>calomelanos</i>	360
<i>P. dura</i> (Willd.) Hook.	
<i>P. pectiniformis</i> Baker	

**GRAMMITIDACEAE**

<i>Loxogramme lanceolata</i> (Swartz) Presl	410
---	-----

**POLYPODIACEAE**

<i>Pleopeltis macrocarpa</i> (Bory ex Willd.) Kaulf.	450
<i>P. schraderi</i> (Mett.) Tardieu	
X <i>Pleopodium simianum</i> Schelpe & N.C.Anthony	455
<i>Polypodium polypodioides</i> (L.) Hitchc. subsp. <i>ecklonii</i> (Kunze) Schelpe	460

**ASPLENIACEAE**

<i>Asplenium adiantum-nigrum</i> L. var. <i>adiantum-nigrum</i>	520
<i>A. aethiopicum</i> (Burm.f.) Becherer	
<i>A. boltonii</i> Hook. ex Schelpe	
<i>A. gemmiferum</i> Schrad.	
<i>A. erectum</i> Bory ex Willd. var. <i>erectum</i>	
<i>A. x flexuosum</i> Schrad.	
<i>A. lobatum</i> Pappe & Raws. var. <i>lobatum</i>	

*A. monanthes* L.  
*A. protensum* Schrad.  
*A. rutifolium* (Berg.) Kunze  
*A. splendens* Kunze  
*A. theciferum* (Kunth Mett. var. *concinnum* (Schrad.) Schelpe  
*A. varians* Wall. ex Hook. & Grev. subsp. *fimbriatum* (Kunze) Schelpe  
*Ceterach cordatum* (Thunb.) Desv.

#### THELYTERIDACEAE

*Thelypteris bergiana* (Schlechtend.) Ching 532  
*T. confluens* (Thunb.) Morton  
*T. dentata* (Forssk.) E.St.John var. *dentata*  
*T. gueinziana* (Mett.) Schelpe  
*T. pozoi* (Lag.) Morton

#### ATHYRIACEAE

*Athyrium scandicinum* (Willd.) Presl 540  
*Cystopteris fragilis* (L.) Bernh. 550

#### LOMARIOPSIDACEAE

*Elaphoglossum acrostichoides* (Hook.& Grev.) Schelpe 580  
*E. spathulatum* (Bory) Moore

#### DRYOPTERIDACEAE

*Cyrtomium caryotideum* (Wall.ex Hook.& Grev.) Presl 640  
     var. *micropterum* (Kunze) C.Chr.  
*Dryopteris athamantica* (Kunze) Kuntze 620  
*D. inaequalis* (Schlechtend.) Kuntze  
*D. squamiseta* (Hook.) Kuntze  
*Polystichum transvaalense* N.C.Anthony 650  
*P. luctuosum* Kunze) T.Moore

#### BLECHNACEAE

*Blechnum attenuatum* (Swartz) Mett. var. *giganteum* (Kaulf.) Bonap. 690  
*B. australe* L.  
*B. capense* (L.) Schlechtend.  
*B. punctulatum* Swartz var. *atherstonei* (Pappe & Raws.) Sim  
*B. tabulare* (Thunb.) Kuhn

## SPERMATOPHYTA

### Gymnospermae

#### CYCADACEAE

*Encephalartos humilis* Verdoorn SO

#### PODOCARPACEAE

*Afrocarpus falcata* (Thunb.) C.N.Page TL  
*Podocarpus latifolius* (Thunb.) R.Br. ex Mirb. 0013000

#### PINACEAE

*Pinus patula* Schltldl. & Cham.\* 0022000

#### CUPRESSACEAE

*Widdringtonia schwarzii* (Marloth) Mast.\*

SO

## Angiospermae

### POACEAE (nom. alt. Graminae)

<i>Agrostis lachnantha</i> Nees var. <i>lachnantha</i>	9902430
<i>Alloteropsis semialata</i> (R.Br.) Hitchc. subsp. <i>eckloniana</i> (Nees) Gibbs Russell	9900940
<i>Andropogon appendiculatus</i> Nees	9900710
<i>A. eucomus</i> Nees	SO
<i>A. schirensis</i> A.Rich.	
<i>Aristida recta</i> Franch.	9902620
<i>Brachiaria brizantha</i> (A.Rich.) Stapf	9901040
<i>B. serrata</i> (Thunb.) Stapf	
<i>Brachypodium flexum</i> Nees	9904320
<i>Briza maxima</i> L.	9904040
<i>Bromus catharticus</i> Vahl	9904280
<i>B. speciosa</i> Nees	
<i>Chloris diluta</i> Renvoize	9903010
<i>Cymbopogon nardus</i> (L.) Rendle	9900720
<i>Danthoniopsis pruinosa</i> C.E.Hubb.	9901770
<i>Digitaria debilis</i> (Desf.) Wild.	9900890
<i>D. tricholaenoides</i> Stapf	
<i>Diheteropogon filifolius</i> (Nees) Clayton	9900810
<i>Ehrharta erecta</i> Lam. var. <i>erecta</i>	
9901680	
<i>E. erecta</i> Lam. var. <i>natalensis</i> Stapf	
<i>Eragrostis capensis</i> (Thunb.) Trin.	9902860
<i>E. chloromelas</i> Steud.	
<i>E. curvula</i> (Schrad.) Nees	
<i>E. racemosa</i> (Thunb.) Steud.	
<i>Festuca caprina</i> Nees var. <i>caprina</i>	9904170
<i>F. costata</i> Nees var.	
<i>Harpochloa falx</i> (L.f.) Kuntze	9902980
<i>Helictotrichon turgidulum</i> (Stapf) Schweick.	9901970
<i>Heteropogon contortus</i> (L.) Roem. & Schult.	9900800
<i>Hyparrhenia cymbaria</i> (L.) Stapf	9900730
<i>Ischaemum fasciculatum</i> Brogn.	9900100
<i>Koeleria capensis</i> (Steud.) Nees	9903740
<i>Loudetia camerunensis</i> Stapf	9901751
<i>L. simplex</i> (Nees) C.E.Hubb.	
<i>Melicia racemosa</i> Thunb.	9903860
<i>Melinis nerviglumis</i> (Franch.) Zizka	9901340
<i>M. repens</i> (Willd.) Zizka subsp. <i>repens</i>	
<i>Merxmuellera macowanii</i> (Stapf) Conert	9902043
<i>Monocymbium ceresiiforme</i> (Nees) Stapf	SO
<i>Oplismenus hirtellus</i> (L.) Beauv.	9901150
<i>Panicum deustum</i> Thunb.	9901160
<i>P. natalense</i> Hochst.	
<i>P. maximum</i> Jacq.	

<i>Paspalum urvillei</i> Steud.	9901070
<i>Pennisetum natalense</i> Stapf	9901390
<i>Phragmites australis</i> (Cav.) Steud.	9902140
<i>Poa annua</i> L.	9904070
<i>Prospytochloa prehensilis</i> (Nees) Schweick.	9901561
<i>Rendlia altera</i> (Rendle) Chiov.	9902941
<i>Rottboellia cochinchinensis</i> (Lour.) Clayton	9900310
<i>Schizachryium sanguineum</i> (Retz) Alst.	9900680
<i>Setaria lindenbergiana</i> (Nees) Stapf	9901280
<i>S. megaphylla</i> (Steud.) Dur. & Schinz	
<i>S. pumila</i> (Poir.) Roem. & Schult.	
<i>S. sphacelata</i> (Schumac.) Moss var. <i>sphacelata</i>	
<i>S. sphacelata</i> (Schumach.) Moss var. <i>sericea</i> (Stapf) Clayton	
<i>Sporobolus centrifugus</i> (Trin.) Nees	9902830
<i>S. pectinatus</i> Hack.	
<i>Sporobolus sanguineus</i> Rendle	9902830
<i>Stiburus alopecuroides</i> (Hack.) Stapf	9904000
<i>Themeda triandra</i> Forssk.	9900880
<i>Trachypogon spicatus</i> (L.f.) Kuntze	9900780
<i>Trichopteryx dregeana</i> Nees	9901750
<i>Tristachya biseriata</i> Stapf	9901740
<i>T. leucothris</i> Nees	

#### CYPERACEAE

<i>Ascolepis capensis</i> (Kunth) Ridley	0454000
<i>Bulbostylis burchellii</i> (Fical. & Hiern) C.B. Clarke	0471010
<i>B. humilis</i> (Kunth) C.B. Clarke	
<i>B. scabricaulis</i> Cherm.	
<i>B. schoenoides</i> (Kunth) C.B. Clarke	
<i>Carex austro-africana</i> Kuekenth.) Raymond	0525000
<i>C. cognata</i> Kunth var. <i>cognata</i>	
<i>C. spicato-paniculata</i> C.B. Clarke	
<i>Costularia natalensis</i> C.B. Clarke [syn. <i>Tetraria natalensis</i> (C.B. Clarke) Koyama]	0482000
<i>C. sp. cf. mlanjensis</i> J. Raynal, vide <i>C. Archer Costularia</i>	
<i>Cyperus albostriatus</i> Schrad.	0459000
<i>C. cyperoides</i> (L.) Kuntze	
<i>C. keniensis</i> Kük.	
<i>C. leptocladus</i> Kunth	
<i>C. obtusiflorus</i> Vahl. var. <i>flavissimus</i> Boeck.	
<i>C. pseudoleptocladus</i> Kuekenth	
<i>C. schlechteri</i> C.B. Clarke	
<i>Ficinia gracilis</i> Schrad.	0465000
<i>F. stolonifera</i> Boeck	
<i>Fuirena pubescens</i> (Poir.) Kunth	0467000
<i>F. stricta</i> Steud.	
<i>Fimbristylis dichotoma</i> (L.) Vahl	0471000
<i>F. stricta</i> Steud.	
<i>Isolepis costata</i> (Boeck.) A. Rich. var. <i>macra</i> (Boeck.) B.L. Burtt	0468020
<i>I. fluitans</i> (L.) R.Br.	
<i>Kyllinga alba</i> Nees	0462000
<i>K. melanosperma</i> Nees	
<i>K. odorata</i> Vahl	
<i>Mariscus dregeanus</i> Kunth	0459030
<i>M. uitenhagensis</i> Steud.	
<i>Pycreus mundii</i> Nees	0459010
<i>P. muricatus</i> (Kük.) Napper	
<i>Schoenoplectus corymbosus</i> (Roth. ex Roem. & Schult.) J. Raynal	0468010
<i>Schoenoxiphium lehmannii</i> (Nees) Steud.	0521000
<i>S. madagascariense</i> Cherm.	



<i>Drimiopsis burkei</i> Baker	1090000
<i>Eucomis autumnalis</i> (Mill.) Chitt. subsp. <i>clavata</i> (Bak.) Reyneke	1088000
<i>E. pole-evansii</i> N.E.Br.	SO
<i>E. montana</i> Compton	(J.O.548)
<i>Ledebourea asperifolia</i> (v.d.Merwe) S.Venter	1090010
<i>L. marginata</i> (Baker) Jessop	
<i>L. ovatifolia</i> (Baker) Jessop	
<i>L. revoluta</i> (L.f.) Jessop	
<i>L. sandersonii</i> (Baker) S.Venter	
<i>Scilla natalensis</i> Planch.	1086000
<i>S. nervosa</i> (Burch.) Jessop	
<b>ERIOSPERMACEAE</b>	
<i>Eriospermum abyssinicum</i> Baker (= <i>E. luteorubrum</i> Baker)	1012000
<b>ALLIACEAE</b>	
<i>Agapanthus inapertus</i> Beauv. subsp.	1046000
<i>Tulbaghia ?acutiloba</i> Harv.	1047000
<b>DRACAENACEAE</b>	
<i>Sansevieria hyacinthoides</i> (L.) Druce	SO
<b>ASPARAGACEAE</b>	
<i>Asparagus angusticladus</i> Jessop	1113010
<i>A. asparagoides</i> (L.) Wight	
<i>A. laricinus</i> Burch.	
<i>A. plumosus</i> Baker	
<i>A. ramosissimus</i> Baker	
<i>A. virgatus</i> Baker	
<b>LUZURIAGACEAE</b>	
<i>Behnia reticulata</i> (Thunb.) Didr.	1147000
<b>SMILACACEAE</b>	
<i>Smilax anceps</i> Willd.	1151000
<b>AMARYLLIDACEAE</b>	
<i>Brunsvigia radulosa</i> Herb.	SO
<i>Clivia caulescens</i> R.A.Dyer	1170000
<i>Cyrtanthus stenanthus</i> Baker var. <i>major</i> R.A.Dyer	
<i>C. tuckii</i> Baker var.	SO
<i>Nerine angustifolia</i> Baker	1175000
<b>HYPOXIDACEAE</b>	
<i>Hypoxis multiceps</i>	1230000
<i>H. rigidula</i> Baker var. <i>pilosissima</i> Baker	
<b>VELLOZIACEAE</b>	
<i>Xerophyta villosa</i> (Bak) Smith & Ayensu	1247000
<i>X. viscosa</i> Baker	
<b>DIOSCOREACEAE</b>	
<i>Dioscorea cotinifolia</i> Kunth	1252000
<i>D. dregeana</i> (Kunth) Dur. & Schinz var. <i>dregeana</i>	
<i>D. quartiniana</i> A.Rich. var. <i>quartiniana</i>	
<i>D. retusa</i> Mast.	
<i>D. sylvatica</i> (Kunth) Eckl. var. <i>rehmannii</i> (Baker) Burkill	

**IRIDACEAE**

<i>Anomatheca laxa</i> (Thunb.) Goldbl.	1316010
<i>A. grandiflora</i> Baker	
<i>Aristea ecklonii</i> Baker	1295000
<i>A. woodii</i> N.E.Br.	
<i>Crocasmia aurea</i> Planch.	1306010
<i>C. paniculata</i> (Klatt) Goldbl.	
<i>C. pottsii</i> (M'Nab ex Baker) N.E.Br.	
<i>Dierama mobile</i> Hilliard	1303000
<i>D. formosum</i> Hilliard	
<i>Dietes iridioides</i> (L.) Sweet ex Klatt.	1265010
<i>Gladiolus crassifolius</i> Baker	1311000
<i>G. dalenii</i> van Geel	
<i>G. densiflorus</i>	
<i>G. ecklonii</i> Lehm. subsp. <i>ecklonii</i>	
<i>G. exiguus</i> G.J.Lewis	
<i>G. ferrugineus</i> Goldblatt & Manning	
<i>G. longicollis</i> Baker var. <i>platypetalus</i> (Baker) Oberm.	SO
<i>G. papilio</i> Hook.f.	
<i>G. parvulus</i> Schlechter	
<i>G. sericeo-villosus</i> Hook.f. forma <i>clavatus</i> (Baker) Oberm.	
<i>G. varius</i> F.Bol.	
<i>G. vernus</i> Oberm. (introduced)	
<i>Hesperantha coccinea</i> (Backh.& Harv.) Goldbl. (= <i>Schizostylis coccinea</i> )	1301000
<i>H. longituba</i> (Klatt) Baker	
<i>Moraea elliotii</i> Baker	1265000
<i>M. modesta</i> Killick	
<i>M. moggii</i> N.E.Br. subsp. <i>moggii</i>	
<i>M. galpinii</i> (Baker) N.E.Br.	
<i>M. spathulata</i> (L.f.) Klatt. ssp. <i>saxosa</i> [fig. 4.4.]	
<i>M. stricta</i> Baker	
<i>Radinosiphon leptostachya</i> (Baker) N.E.Br.	1311040
<i>R. lomatensis</i> (N.E.Br.) N.E.Br.)	
<i>Watsonia pulchra</i> N.E.Br. (= <i>W.densiflora</i> )	1315000

**ORCHIDACEAE**

<i>Angraecum chamaeanthus</i> Schltr.	1828000
<i>A. sacciferum</i> Lindl.	
<i>Brownleea coerulea</i> Harv. ex Lindl.	1433000
<i>B. galpinii</i> H.Bol. subsp. <i>galpinii</i>	
<i>Corycium nigrescens</i> Sond.	1440000
<i>Cynorkis kassnerana</i> Kraenzl.	(JO.539)
<i>Disa cephalotes</i> Reichb.f. ssp. <i>cephalotes</i>	1434000
<i>D. patula</i> Sond. var. <i>transvaalensis</i> Summerh.	
<i>D. stachyoides</i> Reichb.f.	
<i>Disperis anthoceras</i> Reichb.f.	1437000
<i>D. fanniniae</i> Harv.	
<i>D. micrantha</i> Lindl.	
<i>D. virginalis</i> Schltr.	
<i>Eulophia aculeata</i> (L.f.) Spreng. subsp. <i>huttonii</i> (Rolfe) A.V.Hall	1648000
<i>Eulophia clavicornis</i> Lindl. var. <i>clavicornis</i>	
<i>E. foliosa</i> (Lindl.) H.Bol.	
<i>E. leontoglossa</i> Reichb.f.	
<i>E. ovalis</i> Lindl. subsp. <i>bainesii</i> (Rolfe) A.V.Hall	
<i>E. streptopetala</i> Lindl.	
<i>Habenaria cornuta</i> Lindl.	1422000
<i>H. culveri</i> Schltr.	
<i>H. dives</i> Reichb.f.	
<i>H. dregeana</i> Lindl.	

<i>H. falcicornis</i> (Burch. ex Lindl.) Bolus subsp. <i>caffra</i> (Schltr.) J.C.Manning	
<i>H. petitiata</i> (A.Rich.) Dur. & Schinz	
<i>H. tridens</i> Lindl.	
<i>H. tysonii</i> H.Bol.	
<i>Herschelianthe baurii</i> (H.Bol.) Kraenzl.	1435000
<i>Holothrix orthoceras</i> (Harv.) Reichb.f.	1408000
<i>Liparis bowkeri</i> Harv.	SO
<i>Mystacidium flanaganii</i> (Bolus) Bolus	1837000
<i>M. gracile</i> (Reichb.f.) Harv.	
<i>M. capense</i> (L.f.) Schltr.	
<i>M. venosum</i> Harv. ex Rolfe	
<i>Polystachya ottoniana</i> Reichb.f.	1565000
<i>P. transvaalensis</i> Schlechter	
<i>Pterygodium hastatum</i> H.Bol.	1438000
<i>P. magnum</i> Reichb.f. (= <i>Corycium magnum</i> )	
<i>Satyrium cristatum</i> Sond. var. <i>cristatum</i>	(JO.543)
var. <i>longilabiatum</i> A.V.Hall	1430000
<i>Schizochilus lilacinus</i> Schelpe ex H.P.Linder	1431000
<i>S. zeyheri</i> Sond.	
<i>Stenoglottis fimbriata</i> Lindl.	1407000
<i>Tridactyle tricuspis</i> (H.Bol.) Schlechter	1828000
<b>PIPERACEAE</b>	
<i>Piper capense</i> L.f.	1862000
<i>Peperomia blanda</i> (Jacq.) H.B.K. var. <i>leptostachya</i> (Hook. & Arn.) Duell.	1866000
<i>P. retusa</i> (L.f.) A.Dietr.	
<i>P. tetraphylla</i> (G.Forst.) Hook. & Arn.	
<b>SALICACEAE</b>	
<i>Salix babylonica</i> L.*	SO
<i>S. mucronata</i> Thunb.	1873000
<b>MYRICACEAE</b>	
<i>Morella brevifolia</i> (E.Mey. ex C.DC.) Killick	1874000
<i>M. microbracteata</i> (Weim.) Verdc. & Polhill	
<i>M. pilulifera</i> (Rendle) Killick	
<i>M. serrata</i> (Lam.) Killick	
<b>CELTIDACEAE</b>	
<i>Celtis africana</i> Burm.f.	TL
<i>Trema orientalis</i> (L.) Blume	1902000
<i>Chaetacme aristata</i> Planch.	1906000
<b>MORACEAE</b>	
<i>Ficus craterostoma</i> Warb. ex Mildbr. & Burr.	1961000
<i>F. glumosa</i> Del.	
<i>F. ingens</i> (Miq.) Miq. var. <i>ingens</i>	
<i>F. salicifolia</i> Vahl	
<i>F. sur</i> Forssk.	
<i>F. burkei</i> Miq. (= <i>F. thonningii</i> Bl., pro parte)	
<b>CANNABACEAE</b>	
<i>Cannabis sativa</i> L. *	1973000
<b>URTICACEAE</b>	
<i>Didymodoxa caffra</i> (Thunb.) Friis & Wilmot-Dear	2014010
<i>Girardinia diversifolia</i> (Link) Friis	1983000
<i>Obetia tenax</i> (N.E.Br.) Friis	1979000
<i>Pilea rivularis</i> Wedd.	1984000

**PROTEACEAE**

<i>Faurea galpinii</i> Phill.	2034000
<i>F. rochetiana</i> (A.Rich.) Chiov. ex Pic.Ser. subsp. <i>speciosa</i> (Welw.) Troupin	
<i>F. saligna</i> Harv.	TL
<i>Protea caffra</i> Meisn. subsp. <i>caffra</i>	2035000
<i>P. gaguedii</i> Gmel.	
<i>P. parvula</i> Beard	SO
<i>P. roupelliae</i> Meisn. subsp. <i>roupelliae</i>	

**LORANTHACEAE**

<i>Erianthemum dregei</i> Eckl. & Zeyh.) Tieghem	2074060
<i>Pedistylis galpinii</i> (Schinz & Sprague) Wiens	

**SANTALACEAE**

<i>Osyridocarpus schimperianus</i> (Hochst. ex A.Rich.) A.DC.	2116000
<i>Osyris lanceolata</i> Hochst. & Steud.	2108000
<i>Thesium racemosum</i> Bernh.	2118000

**OLACACEAE**

<i>Ximenia caffra</i> Sond.	TL
-----------------------------	----

**POLYGONACEAE**

<i>Oxygonum dregeanum</i> Meisn. ssp. <i>lanceolatum</i> Germishuizen	2204000
<i>Polygonum pulchrum</i> Blume	2201000
<i>Rumex angiocarpus</i> Murb.	2195000
<i>R. sagittatus</i> Thunb.	

**AMARANTHACEAE**

<i>Achyranthes aspera</i> L.*	2328000
<i>Cyathula cylindrica</i> Moq.	2312000
<i>C. uncinulata</i> (Schrad.) Schinz	
<i>Pupalia lappacea</i> (L.) Juss.*	
2314000	

**PHYTOLACCACEAE**

<i>Phytolacca octandra</i> L. ?*	2380000
----------------------------------	---------

**AIZOACEAE**

<i>Psammotropha myriantha</i> Sond.	2379000
-------------------------------------	---------

**CARYOPHYLLACEAE**

<i>Stellaria media</i> (L.) Vill.*	2429000
------------------------------------	---------

**ILLECEBRACEAE**

<i>Dianthus ?basuticus</i> Burt Davy	2502000
<i>D. mooiensis</i> F.N.Williams	
<i>D. transvaalensis</i> Burt Davy	
<i>Silene burchellii</i> Otth. var. <i>angustifolia</i> Sond.	2490000

**RANUNCULACEAE**

<i>Clematis brachiata</i> Thunb.	
2542000	
<i>Knowltonia transvaalensis</i> Szyszyl.	2541010
<i>Ranunculus multifidus</i> Forssk.	2546000
<i>Thalictrum rhyncocarpum</i> Dill. & Rich.	2548000

**MENISPERMACEAE**

<i>Cissampelos torulosa</i> E.Mey. ex Harv.	2574000
---	---------

<b>ANNONACEAE</b>		
	<i>Annona senegalensis</i> Pers.	TL
<b>LAURACEAE</b>		
	<i>Cryptocarya transvaalensis</i> Burt Davy	2813000
	<i>C. woodii</i> Engl.	
<b>BRASSICACEAE</b> (incl. Capparaceae)		
	<i>Brassica rapa</i> L. *	2949000
	<i>Capparis fascicularis</i> DC. var. <i>fascicularis</i>	3101000
	<i>Cardamine hirsuta</i> L. *	2965000
	<i>Maerua cafra</i> (DC.) Pax	3112000
	<i>Sisymbrium thellungii</i> O.E.Schulz *	2917000
<b>DROSERACEAE</b>		
	<i>Drosera burkeana</i> Planch.	3136000
	<i>D. collinsiae</i> N.E.Br. ex Burt Davy	
	<i>D. madagascariensis</i> DC.	
<b>CRASSULACEAE</b>		
	<i>Crassula acinaciformis</i> Schinz	3168000
	<i>C. alba</i> Forssk. var. <i>alba</i>	
	<i>C. compacta</i> Schonl.	(in spirit)
	<i>C. pellucida</i> L. subsp. <i>alsinoides</i> (Hook.f.) Toelken	
	<i>C. perfoliata</i> L. var. <i>heterotricha</i> (Schinz) Tölken	
	<i>C. sarcocaulis</i> Eckl. & Zeyh. subsp. <i>sarcocaulis</i>	
	<i>C. swaziensis</i> Schonl. [fig. 6.2.]	
	<i>C. vaginata</i> Eckl. & Zeyh. subsp. <i>vaginata</i>	
	<i>Kalanchoe paniculata</i> Harv.	3166000
	<i>K. rotundifolia</i> (Haw.) Haw.	
	<i>K. thyrsiflora</i> Harv. [fig. 6.1.]	
<b>ESCALLONIACEAE</b>		
	<i>Choristylis rhamnoides</i> Harv.	3241000
<b>PITTOSPORACEAE</b>		
	<i>Pittosporum viridiflorum</i> Sim	3252000
<b>MYROTHAMNACEAE</b>		
	<i>Myrothamnus flabellifolia</i> (Sond.) Welw.	3282000
<b>HAMAMELIDACEAE</b>		
	<i>Trichocladus grandiflorus</i> Oliv.	3311000
<b>ROSACEAE</b>		
	<i>Agrimonia bracteata</i> E.Mey. ex C.A.Mey.	3376000
	<i>A. procera</i> Walp. *	
	<i>Alchemilla elongata</i> Eckl. & Zeyh. var. <i>elongata</i>	3375000
	<i>Cliffortia linearifolia</i> Eckl. & Zeyh.	3388000
	<i>C. nitidula</i> (Engl.) R.E. & Th.Fries Jr.	
	<i>C. repens</i> Schltr.	
	<i>C. strobilifera</i> Murray	
	<i>Leucosidea sericea</i> Eckl. & Zeyh. [fig. 7.3.]	3379000
	<i>Prunus africana</i> Hook.f.) Kalm.	TL
	<i>P. persica</i> (L.) Batsch.*	SO
	<i>Rubus apetalus</i> Poir.	3353000
	<i>R. niveus</i> Thunb.*	
	<i>R. pinnatus</i> Willd.	

*R. rigidus* Sm.  
*R. transvaaliensis* C.B.Gust.

#### CHRYSOBALANACEAE

*Parinari capensis* Harv. subsp. *capensis* 3405000

#### MIMOSACEAE

*Abrus laevigatus* E.Mey. 3856000  
*Acacia ataxacantha* DC. 3446000  
*A. caffra* (Thunb.) Willd. TL  
*A. baileyana* F.Müll. \*  
*A. dealbata* Link \*  
*A. decurrens* Willd.\*  
*A. karroo* Hayne TL  
*A. melanoxyton* R.Br.\* SO  
*A. nilotica* (L.) Willd. ex Del. subsp. *kraussiana* (Benth.) Brenan TL  
*A. sieberiana* DC. var. *woodiana* (Burt Davy) Keay & Brenan TL  
*Adenopodia spicata* (E.Mey.) Presl 3468020  
*Dichrostachys cinerea* (L.) Wight & Arn.  
subsp. *argillicola* Brenan & Brummitt var. *hirtipes* Brenan & Brummitt 3452000  
*Elephantorrhiza elephantina* (Burch.) Skeels 3467000

#### CAESALPINIACEAE

*Chamaechrista comosa* E.Mey. var. *capricornia* (Steyaert) Lock 3536010  
*Peltophorum africanum* Sond. 3561000  
*Senna corymbosa* (Lam.) Irwin & Barneby \* 3536020

#### FABACEAE

*Aeschynomene rehmannii* Schinz  
var. *leptobotrya* (Harms ex Bakerf.) J.B.Gillett 3793000  
*Argyrolobium harveyanum* Oliv. 3673000  
*A. pseudotuberosum* T.Edwards  
*A. tomentosum* (Andr.) Druce  
*Calpurnia aurea* (Ait.) Benth. TL  
*Crotolaria capensis* Jacq. 3669000  
*C. recta* Steud. ex A.Rich.  
*Dalbergia armata* E.Mey. 3821000  
*Desmodium repandum* (Vahl) DC. 3807000  
*D. setigerum* (E.Mey.) Benth. & Harv.  
*Dolichos pratensis* (E.Mey.) Taub. 3910000  
*Dumasia villosa* DC. var. *villosa* 3861000  
*Eriosema angustifolia* Burt Davy 3898000  
*E. kraussiana* Meisn.  
*E. psoraleoides* (Lam.) G.Don  
*Erythrina lysistemon* Hutch. TL  
*Flemingia grahamiana* Wight & Arn. 3899000  
*Indigofera frondosa* N.E.Br. 3702000  
*I. hedyantha* Eckl. & Zeyh.  
*I. lydenburgensis* N.E.Br.  
*I. masonae* N.E.Br.  
*I. melanadenia* Benth. ex Harv.  
*I. oxalidea* Welw. ex Baker  
*I. sanguinea* N.E.Br.  
*I. swaziensis* H.Bol. subsp. *perplexa* (N.E.Br.) Schrire  
*I. tristoides* N.E.Br.  
*Lotononis laxa* Eckl. & Zeyh. 3657000  
*Lotus discolor* E.Mey. ssp. *discolor* 3698000  
*Neonotonia wightii* (Arn.) Lackey 3864010

<i>Pearsonia aristata</i> (Schinz) Duemmer	3657000
<i>P. ? obovata</i> (Schinz) Polhill	
<i>P. sessilifolia</i> (Harv.) Duemmer ssp. <i>sessilifolia</i>	
<i>Pseudarthria hookeri</i> Wight & Arn. var. <i>hookeri</i>	3808000
<i>Psoralea latifolia</i> (Harv.) C.H.Stirton	3703000
<i>rhizotoma</i> C.H.Stirton	TL
<i>Pterocarpus angolensis</i> DC.	3828000
<i>Rhynchosia angulosa</i> Schinz	3897000
<i>R. caribaea</i> (Jacq.) DC.	
<i>R. monophylla</i> Schlechter	
<i>R. nervosa</i> Benth. & Harv. var. <i>nervosa</i>	
<i>R. sordida</i> (E. Mey.) Schinz	
<i>R. spectabilis</i> Schinz	
<i>Smithia erubescens</i> (E.Mey.) Bakerf.	SO
<i>Tephrosia capensis</i> (Jacq.) Pers. var. <i>capensis</i>	3718000
<i>T. cordata</i> Hutch. & Burt Davy	
<i>T. macropoda</i> (E.Mey.) Harv.	
<i>T. semiglabra</i> Sond.	
<i>T. shilwanensis</i> Schinz	
<i>Vigna nervosa</i> Markoetter	3905000
<i>Zornia capensis</i> Pers.	3804000
<b>GERANIACEAE</b>	
<i>Geranium wakkerstroomianum</i> Knuth	3924000
<i>Monsonia</i> sp. (JEB 3842)	3925000
<i>Pelargonium acraeum</i> R.A.Dyer	3928000
<i>P. alchemilloides</i> (L.) L'Herit.	
<i>P. dispar</i> N.E.Br.	
<i>P. luridum</i> (Andr.) Sweet	
<i>P. multicaule</i> Jacq. subsp. <i>subherbaceum</i> (Knuth) J.J.A. v.d.Walt	
<b>OXALIDACEAE</b>	
<i>Oxalis corniculata</i> L. *	3936000
<i>O. latifolia</i> Humb., Bonpl. & Kunth*	
<i>O. obliquifolia</i> Steud. ex Rich.	
<b>ERYTHROXYLACEAE</b>	
<i>Erythroxylum delagoense</i> Schinz	3956000
<i>E. emarginatum</i> Thonn.	
<b>RUTACEAE</b> (incl. Ptaeroxylaceae)	
<i>Calodendrum capense</i> (L.f.) Thunb.	TL
<i>Clausena anisata</i> (Willd.) Hook.f. ex Benth.	4091000
<i>Ptaeroxylon obliquum</i> (Thunb.) Radlk.	4157000
<i>Vepris reflexa</i> Verdoorn	4076000
<i>V. lanceolata</i> (Lam.) G.Don	
<i>Zanthoxylum capense</i> (Thunb.)Harv.	3991000
<i>Z. davyii</i> (Verdoorn) Waterm.	
<b>BURSERACEAE</b>	
<i>Commiphora harveyi</i> (Engl.) Engl.	TL
<b>MELIACEAE</b>	
<i>Ekebergia capensis</i> Sparrm.	4193000
<i>E. pterophylla</i> (C.DC.) Hofmeyer	
<b>MALPIGHIACEAE</b>	
<i>Sphedamnocarpus pruriens</i> (Juss.) Szyszyl. var.	4219000

**POLYGALACEAE**

<i>Polygala albida</i> Schinz	4273000
<i>P. hottentota</i> Presl	
<i>P. ohlendoriana</i> Eckl. & Zeyh.	
<i>P. uncinata</i> E.Mey. ex Meisn.	
<i>P. virgata</i> Thunb.	

**EUPHORBIACEAE**

<i>Acalypha caperonioides</i> Baill.	4407000
<i>A. glabrata</i> Thunb.	
<i>A. schinzii</i> Pax	
<i>Adenocline acuta</i> (Thunb.) Baill.	4370000
<i>Clutia affinis</i> Sond.	4448000
<i>C. laxa</i> Eckl. & Zeyh.	
<i>C. monticola</i> S.Moore	
<i>C. pulchella</i> L.	
<i>Euphorbia clavarioides</i> Boiss. var. <i>clavarioides</i>	SO
<i>E. cooperi</i> N.E.Br. ex Burger	4498000
<i>E. ingens</i> E.Mey. ex Boiss.	
<i>E. kraussiana</i> Bernh.	
<i>E. peplus</i> L. *	
<i>E. striata</i> Thunb. var.	
<i>Jatropha latifolia</i> Pax var. <i>latifolia</i>	4433000
<i>Phyllanthus burchellii</i> Muell. Arg.	4299000
<i>Tragia ?rupestris</i> Sond.	4416000

**ANACARDIACEAE**

<i>Harpephyllum caffrum</i> Bernh. ex Krauss	TL
<i>Lannea discolor</i> (Sond.) Engl.	TL
<i>L. edulis</i> (Sond.) Engl.	4563000
<i>Protorhus longifolia</i> (Bernh.) Engl.	4576000
<i>Rhus chirindensis</i> Bakerf.	4594000
<i>R. dentata</i> Thunb.	
<i>R. discolor</i> E.Mey. ex Sond.	
<i>R. gerrardii</i> (Harv. ex Engl) Diels	
<i>R. gracillima</i> Engl.	
<i>R. lucida</i> L.	
<i>R. pentheri</i> Zahlbr.	
<i>R. pyroides</i> Burch. var. <i>integrifolia</i> (Engl.) Moffett	
<i>R. rehmanniana</i> Engl.	
<i>R. rogersii</i> Schonl.	
<i>R. tomentosa</i> L.	
<i>R. transvaalensis</i> Engl.	
<i>R. tumulicola</i> S.Moore var. <i>tumulicola</i> [= <i>R. dura</i> ] var. <i>meeuseana</i> (R.A.Fernandes) Moffett forma <i>meeusseana</i> (= <i>R. ernestii</i> ) forma <i>pumila</i> Moffett.	

**AQUIFOLIACEAE**

<i>Ilex mitis</i> (L.) Radlk.	4614000
-------------------------------	---------

**CELASTRACEAE**

<i>Cassine peragua</i> L. subsp. <i>peragua</i>	4641000
<i>Gymnosporia buxifolia</i> (L.) Szyszyl.	4627000
<i>G. grandifolia</i> (Davidson) M.Jordaan	
<i>G. heterophylla</i> (Eckl. & Zeyh.) M.Jordaan	
<i>G. harveyana</i> Loes. (= <i>G. mossambicensis</i> (Klotzsch) Loes. var. <i>mossambicensis</i> )	
<i>Maytenus acuminata</i> (L.f.) Loes.	4626000
<i>M. albata</i> (N.E.Br.) E.Schmidt & Jordaan	

*M. peduncularis* (Sond.) Loes.  
*M. undata* (Thunb.) Blakelock  
*Pleurostyliia capensis* (Turcz.) Oliv. 4646000  
*Pterocelastrus echinatus* N.E.Br. 4630000  
*Pterocelastrus rostratus* Walp.  
*Robsonodendron eucleiforme* (Eckl. & Zeyh.) R.H.Archer (= *Cassine eucleiformis*) 4642010

#### ICACINACEAE

*Apodytes dimidiata* E.Mey. ex Arn. subsp. *dimidiata* 4686000  
*Cassinopsis ilicifolia* (Hochst.) Kuntze 4671000  
*Pyrenacantha grandiflora* Baill. 4709000

#### SAPINDACEAE

*Allophyllus africanus* Beauv. 4734000  
*Hippobromus pauciflorus* (L.f.) Radlk. 4836000  
*Pappea capensis* Eckl. & Zeyh. TL

#### MELIANTHACEAE

*Bersama tysoniana* Oliv. 4853000

#### GREYIACEAE

*Greyia radlkoferi* Szyszyl. 4855000

#### BALSAMINACEAE

*Impatiens hochstetteri* Warb. subsp. *hochstetteri* 4856000

#### RHAMNACEAE

*Berchemia zeyheri* (Sond.) Grubov. 4868000  
*Helinus integrifolius* (Lam.) Kuntze 4905000  
*Phyllica paniculata* Willd. 4886000  
*Rhamnus prinoides* L'Herit. 4875000  
*Scutia myrtina* (Burm.f.) Kurz 4874000  
*Ziziphus mucronata* Willd. subsp. *mucronata* TL

#### VITACEAE

*Cyphostemma* cf. *cirrhosum* (Thunb.) Descoings ex Wild & Drum. 4918010  
*C. humile* (N.E.Br.) Descoings  
*Rhoicissus* sp. (*J.E.B. 5699*) 4917000  
*R. rhomboidea* (E.Mey. ex Harv.) Planch.  
*R. tomentosa* (Lam.) Wild & Drum.  
*R. tridentata* (L.f.) Wild & Drum.

#### MALVACEAE (incl. Sterculiaceae & Tiliaceae)

*Corchorus confusus* Wild 4953000  
*Dombeya pulchra* N.E.Br. 5053000  
*D. rotundifolia* (Hochst.) Planch  
*Grewia bicolor* Juss. 4966000  
*G. occidentalis* L.  
*Hermannia cristata* H.Bol. 5056000  
*H. montana* N.E.Br.  
*H. tomentosa* (Turcz.) Schinz ex Engl.  
*Hibiscus trionum* L. 5013000  
*Pavonia columella* Cav. 5007000  
*Sida ternata* L.f. 4998000  
*Triumfetta annua* L. forma *annua* 4975000  
*T. pilosa* Roth. var. *effusa* (E.Mey. ex Harv.) Wild  
*T. sonderi* Ficalho & Hiern

#### OCHNACEAE

<i>Ochna confusa</i> Burt Davy & Greenway	5112000
<i>O. holstii</i> Engl.	
<i>O. natalitia</i> (Meisn.) Walp.	
<b>CLUSIACEAE (nom. alt. Guttiferae)</b>	
<i>Hypericum aethiopicum</i> Thunb.	5168000
subsp. <i>sonderi</i> (Bredell) Robson	
<i>H. lalandii</i> Choisy	
<i>H. revolutum</i> Vahl	
<b>FLACOURTIACEAE</b>	
<i>Dovyalis lucida</i> Sim	5328000
<i>D. zeyheri</i> (Sond.) Warb.	
<i>Kiggelaria africana</i> L.	TL
<i>Rawsonia lucida</i> Harv. & Sond.	5275000
<i>Scolopia mundii</i> (Eckl. & Zeyh.) Warb.	5304000
<i>S. zeyheri</i> (Nees) Harv.	
<i>Trimeria grandifolia</i> (Hochst.) Warb.	5315000
<b>PASSIFLORACEAE</b>	
<i>Adenia gummifera</i> (Harv.) Harms var. <i>gummifera</i>	5370000
<i>Basananthe sandersonii</i> (Harv.) W.J. de Wilde	5369000
<i>Passiflora edulis</i> Sims *	SO
<b>BEGONIACEAE</b>	
<i>Begonia sutherlandii</i> Hook.f.	SO
<b>CACTACEAE</b>	
<i>Opuntia ficus-indica</i> (L.) Mill.*	SO
<b>OLINIACEAE</b>	
<i>Olinia emarginata</i> Burt Davy	5428000
<b>THYMELEACEAE</b>	
<i>Dais cotinifolia</i> L.	5465000
<i>Englerodaphne pilosa</i> Burt Davy	5438000
<i>Gnidia caffra</i> Meisn.	5435000
<i>G. capitata</i> L.f.	
<i>G. kraussiana</i> Meisn. var. <i>kraussiana</i>	
<i>Passerina montana</i> Thoday	5461000
<i>Peddiea africana</i> Harv.	5434000
<b>RHIZOPHORACEAE</b>	
<i>Cassipourea gerrardii</i> (Schinz) Alston	5529000
<b>COMBRETACEAE</b>	
<i>Combretum edwardsii</i> Exell	5538000
<i>C. erythrophyllum</i> (Burch.) Sond.	
<i>C. kraussii</i> Hochst.	
<i>C. molle</i> R.Br. ex G.Don	
<i>C. zeyheri</i> Sond.	
<b>MYRTACEAE</b>	
<i>Eucalyptus</i> spp.*	SO
<i>Eugenia natalitia</i> Sond.	5578000
<i>Heteropyxis canescens</i> Oliv.	5588010
<i>H. natalensis</i> Harv.	TL
<i>Syzygium cordatum</i> Hochst.	5583000
<i>S. gerrardii</i> (Harv. ex Hook.f.) Burt Davy	

<b>MELASTOMATACEAE</b>	
<i>Antherotoma naudinii</i> Hook.f.	5651000
<i>Heterotis canescens</i> (E.Mey. ex R.A.Grah.) Jac.-Fél. (= <i>Dissotis canescens</i> )	5659100
<b>ONAGRACEAE</b>	
<i>Epilobium salignum</i> Hausskn.	5795000
<i>Oenothera glazioviana</i> Micheli *	5804000
<i>O. indecora</i> Cambess subsp. ? *	
<i>O. rosea</i> L'Hér. ex Aiton *	SO
<b>HALORAGACEAE</b>	
<i>Gunnera perpensa</i> L.	5836000
<i>Laurembergia repens</i> Berg. subsp. <i>brachypoda</i> (Hiern.) Oberm. [ <i>H.H.B.</i> 3853]	5833000
<b>ARALIACEAE</b>	
<i>Cussonia natalensis</i> Sond.	5872000
<i>C. paniculata</i> Eckl. & Zeyh. var. <i>sinuata</i> Reyneke	TL
<i>C. spicata</i> Thunb. var. <i>triptera</i> (Colla) Reyneke	
<i>Schefflera umbellifera</i> (Sond.) Baill.	5852000
<b>APIACEAE (nom. alt. Umbelliferae)</b>	
<i>Alepidea amatymbica</i> Eckl. & Zeyh. var. <i>amatymbica</i>	5922000
<i>A. setifera</i> N.E.Br.	
<i>Annesorrhiza flagellifolia</i> Burt Davy	6078000
<i>Ciclospermum leptophyllum</i> (Pers.) Eichler *	6004010
<i>Heteromorpha arborescens</i> (Spreng.) Cham. & Schldl.	
var. <i>abyssinica</i> (A.Rich.) H. Wolff (= <i>H. trifoliata</i> sensu previous lists)	5992000
<i>H. involucreta</i> Conrath	
<i>H. pubescens</i> Burt Davy	
<i>Sanicula elata</i> Buch.-Ham.	5918000
<i>Sium repandum</i> Welw. ex Hiern	6038000
<b>CORNACEAE</b>	
<i>Curtisia dentata</i> (Burm.f.) C.A.Sm.	6156000
<b>ERICACEAE</b>	
<i>Erica alticola</i> Guthrie & Bolus	6237000
<i>E. cerinthoides</i> L. var. ?	JO BOOK
<i>E. drakensbergensis</i> Guthrie & Bolus	
<i>E. holtii</i> Schweick.	
<i>E. natalitia</i> Bolus var. <i>natalitia</i>	
<i>E. revoluta</i> (Bolus) Davidson	
<i>E. woodii</i> Bolus	
<i>Vaccinium exul</i> Bolus	6216000
<b>MYRSINACEAE</b>	
<i>Maesa lanceolata</i> Forssk.	TL
<i>Myrsine africana</i> L.	6313000
<i>M. pillansii</i> Adamson	
<i>Rapanea melanophloeos</i> (L.) Mez	TL
<b>PLUMBAGINACEAE</b>	
<i>Plumbago zeylanica</i> L.	6343000
<b>SAPOTACEAE</b>	
<i>Englerophytum magalimontanum</i> (Sond.) T.Penn.	6377010
<i>E. natalense</i> (Sond.) T.Penn.	

<i>Mimusops obovata</i> Sond. (= <i>M. obtusifolia</i> sensu von Breitenbach, non Lam.)	6386000
<b>EBENACEAE</b>	
<i>Diospyros galpinii</i> (Hiern) De Winter	6406000
<i>D. lycioides</i> Desf. subsp. <i>guerkei</i> (Kuntze) De Winter	
<i>D. lycioides</i> Desf. subsp. <i>sericea</i> (Bernh.) De Winter	
<i>D. whyteana</i> (Hiern) F.White	
<i>Euclea crispa</i> (Thunb.) Guerke subsp. <i>crispa</i>	6404000
<i>E. natalensis</i> A.DC. subsp. <i>natalensis</i>	
<b>OLEACEAE</b>	
<i>Chionanthus foveolata</i> (E.Mey.) Stearn subsp. <i>foveolata</i>	6428000
<i>Jasminum breviflorum</i> Harv. ex C.H.Wright	6440000
<i>J. quinatum</i> Schinz	
<i>J. streptopus</i> E.Mey. var. <i>transvaalensis</i> (S.Moore) Verdoorn	
<i>Olea europaea</i> L. subsp. <i>africana</i> (Mill.) P.S.Green	6434000
<i>Schrebera alata</i> (Hochst.) Welw.	6422000
<b>BUDDLEJACEAE</b>	
<i>Buddleja auriculata</i> Benth.	6473000
<i>B. saligna</i> Willd.	
<i>B. salviifolia</i> (L.) Lam.	
<i>Nuxia congesta</i> R.Br. ex Fresen.	6469000
<i>N. floribunda</i> Benth.	
<b>STRYCHNACEAE</b>	
<i>Strychnos henningsii</i> Gilg	6460000
<i>S. madagascariensis</i> Poir.	
<i>S. spinosa</i> Lam.	
<b>GENTIANACEAE</b>	
<i>Chironia palustris</i> Burch. subsp. <i>palustris</i>	6503000
<i>Sebaea bojeri</i> Griseb.	6481000
<i>S. cf. junodii</i> Schinz	
<i>S. sedoides</i> Gilg var. <i>confertiflora</i> (Schinz) Marais	(JO.545)
<b>APOCYNACEAE</b> (incl. Asclepiadaceae & Periplocaceae)	
<i>Anistoma pedunculata</i> N.E.Br.	6917000
<i>Arauja sericifera</i> Brot. *	6771000
<i>Asclepias aurea</i> (Schltr.) Schltr.	6791000
<i>A. brevipes</i> Schltr.	
<i>A. cucullata</i> (Schltr.) Schltr.	
<i>A. cultriformis</i> Harv. ex Schltr.	
<i>A. physocarpa</i> (E.Mey.) Schltr.	
<i>Brachystelma coddii</i> R.A.Dyer	6870000
<i>B. macropetalum</i> (Schltr.) N.E.Br.	
<i>B. pygmaeum</i> Schltr. subsp. <i>flavidum</i> (Schltr.) R.A.Dyer	S.O.
<i>Carissa bispinosa</i> (L.) Desf. ex Brenan subsp. <i>zambesiensis</i> Kupicha	6559000
<i>Cryptolepis capensis</i> Schltr.	6740000
<i>C. cryptolepioides</i> (Schltr.) Bullock	
<i>Huernia cf. stapelioides</i> Schltr.	6887000
<i>Pentarrhinum insipidum</i> E.Mey.	6810000
<i>Raphionacme galpinii</i> Schltr.	6747000
<i>R. hirsuta</i> (E.Mey.) R.A.Dyer ex Phill.	
<i>Riocreuxia picta</i> Schltr.	6875000
<i>Sarcostemma viminale</i> (L.) R.Br.	6849000
<i>Schizoglossum ?cordifolium</i> E.Mey.	6778000
<i>Secamone alpinii</i> Schultes	6860000
<i>S. gerrardii</i> Harv. ex Benth.	

<i>Sisyranthus randii</i> S.Moore	6861000
<i>Tenaris rubella</i> E.Mey.	6921000
<b>CONVOLVULACEAE</b>	
<i>Cuscuta campestris</i> Yuncker	6968000
<i>C. cassyoides</i> Nees & Engelm.	
<i>C. cf. gerrardii</i> Baker	
<i>Ipomoea crassipes</i> Hook.	7003000
<i>I. ommaneyi</i> Rendle	
<b>BORAGINACEAE</b>	
<i>Cynoglossum lanceolatum</i> Forssk.	7064000
<i>Ehretia rigida</i> (Thunb.) Druce	7043000
<i>Trichodesma physaloides</i> (Fenzl) A.DC.	7056000
<b>VERBENACEAE</b>	
<i>Lippia javanica</i> (Burm.f.) Spreng.	7145000
<i>L. rehmannii</i> H.Pearson	
<i>L. wilmsii</i> H.Pearson	
<i>Verbena bonariensis</i> L. *	7138000
<i>V. officinalis</i> L. *	
<b>LAMIACEAE</b>	
<i>Aeollanthus parvifolius</i> Benth.	7345000
<i>Becium obovatum</i> (E.Mey. ex Benth.) N.E.Br.	7366010
<i>Clerodendrum glabrum</i> E.Mey. var. <i>glabrum</i>	TL
[ <i>Clerodendrum myricoides</i> - see <i>Rothea myricoides</i> ]	
<i>C. triphyllum</i> (Harv.) H.Pears. var. <i>triphyllum</i>	
<i>Geniosporum angolense</i> Briq.	7363000
<i>Hemizygia albiflora</i> (N.E.Br.) Ashby	7365000
<i>H. rehmannii</i> (Guerke) Ashby	
<i>H. subvelutina</i> (Guerke) Ashby	
<i>H. thorncroftii</i> (N.E.Br.) Ashby	
<i>Leonotis ocymifolia</i> (Burm.f.) Iwarsson var. <i>raineriana</i> (Visiani) Iwarsson	7264000
<i>Mentha longifolia</i> (L.) L. subsp. <i>polyadena</i> (Briq.) Briq.	7328000
<i>Orthosiphon labiatus</i> N.E.Br.	7367000
<i>O. serratus</i> Schltr.	
<i>Plectranthus fruticosus</i> L'Herit.	7350000
<i>P. grandidentatus</i> Guerke	
<i>P. grallatus</i> Briq.	
<i>P. laxiflorus</i> Benth.	
<i>P. verticillatus</i> (L.f.) Druce	
<i>Pycnostachys reticulata</i> (E.Mey.) Benth.	7347000
<i>Rabdosiella calycina</i> (Benth.) Codd	7350030
<i>Rothea myricoides</i> (Hochst.) Steane & Mabberly (= <i>Clerodendrum myricoides</i> )	
<i>Stachys grandifolia</i> E.Mey. ex Benth.	7281000
<i>S. simplex</i> Schltr.	
<i>Synclostemon eriocephalus</i> Verdoorn	7359000
<i>Tetradenia riparia</i> (Hochst.) Codd	TL
<i>Teucrium trifidum</i> Retz	7212000
<b>SOLANACEAE</b>	
<i>Nicandra physaloides</i> (L.) Gaertn. *	7377000
<i>Physalis peruviana</i> L.*	7401000
<i>Solanum aculeastrum</i> Dun.	7407000
<i>S. aculeatissimum</i> Jacq.	
<i>S. anguivi</i> Lam.	
<i>S. bifurcum</i> Hochst.	
<i>S. giganteum</i> Jacq.	SO

*S. mauritianum* Scop.\*

### SCROPHULARIACEAE

<i>Alectra orobanchoides</i> Benth.	7597010
<i>A. parvifolia</i> (Engl.) Schinz	
<i>A. sessiliflora</i> (Vahl) Kuntze	
<i>Bowkeria cymosa</i> Macowan	7500000
<i>Buchnera dura</i> Benth.	7622000
<i>Craterostigma wilmsii</i> Engl. ex Diels	7560000
<i>Cycnium adonense</i> E.Mey. ex Benth.	7623000
<i>C. racemosum</i> Benth.	
<i>Diclis reptans</i> Benth.	7477000
<i>Graderia subintegra</i> Mast.	7614000
<i>Halleria lucida</i> L.	7493000
<i>Harveya huttonii</i> Hiern	7627000
<i>Jamesbrittenia grandiflora</i> (Galpin) Hilliard	7519010
<i>Nemesia fruticans</i> (Thunb.) Benth.	7476000
<i>N. strumosa</i> Benth.	
<i>Sopubia mannii</i> Skan var. <i>tenuifolia</i> (Engl. & Gilg) Hepper	7616000
<i>Striga elegans</i> Benth.	7625000
<i>Sutera caerulea</i> (L.f.) Hiern	7519000
<i>S. neglecta</i> (Wood & Evans) Hiern	
<i>S. paucifolia</i> (Benth.) Kuntze	

### SELAGINACEAE

<i>Hebenstretia angolensis</i> Rolfe	7566000
<i>H. oatesii</i> Rolfe subsp. <i>rhodesiana</i> Roesl.	
<i>Selago acutibracteata</i> Hilliard	7568000
<i>S. atherstonei</i> Rolfe (= <i>S. muddii</i> Rolfe)	
<i>S. compacta</i> Rolfe	
<i>S. procera</i> Hilliard (= <i>S. elata</i> Rolfe)	
<i>Tetraselago nelsonii</i> (Rolfe) Hilliard & Burt (probably a mis-identification)	(JO.546)
<i>T. wilmsii</i> (Rolfe) Hilliard & Burt	7568040

### BIGNONIACEAE

<i>Jacaranda mimosifolia</i> D. Don *	SO
---------------------------------------	----

### PEDALIACEAE

<i>Ceratotheca triloba</i> (Bernh.) Hook.f.	SO
---	----

### GESNERIACEAE

<i>Streptocarpus confusus</i> Hilliard subsp. <i>confusus</i>	7823000
<i>S. cyaneus</i> S. Moore subsp. <i>longi-tommii</i> Weigend & T.J. Edwards	
<i>S. galpinii</i> Hook.f.	
<i>S. roseo-albus</i> Weigend & T.J. Edwards	
<i>S. wilmsii</i> Engl.	

### LENTIBULARIACEAE

<i>Genlisea hispidula</i> St-Hil.	7899000
<i>Utricularia</i> sp. (JEB 4407)	7901000

### ACANTHACEAE

<i>Barleria gueinzii</i> Sond.	7973000
<i>Crabbea acaulis</i> N.E.Br.	7972000
<i>C. galpinii</i> C.B. Clarke	
<i>Crossandra greenstockii</i> S. Moore	7985000
<i>Dicliptera clinopodia</i> Nees (form A)	8031000
<i>D. zeylanica</i> Nees	
<i>Hypoestes aristata</i> (Vahl) Soland. ex Roem. & Schult. var. <i>alba</i> K. Balkwill	8032000

<i>H. forskoolii</i> (Vahl) R.Br.	
<i>H. triflora</i> (Forssk.) Roem. & Schult.	
<i>Justicia campylostemon</i> (Nees) T.Anders	8094000
<i>Ruellia patula</i> Jacq.	7965000
<i>Ruttya ovata</i> Harv.	8063000
<i>Sclerochiton harveyanus</i> Nees	7978000
<i>Thunbergia amoena</i> C.B.Clarke	7914000
<i>T. atroplicifolia</i> E.Mey. ex Nees	
<i>T. natalensis</i> Hook.	

#### PLANTAGINACEAE

<i>Plantago longissima</i> Decne.	8116000
<i>P. virginica</i> L.	

#### RUBIACEAE

<i>Anthospermum herbaceum</i> L.f.	8438000
<i>A. hispidulum</i> E.Mey. ex Sond.	
<i>A. welwitschii</i> Hiern	
<i>Burchellia bubalina</i> (L.f.) Sims	8281000
<i>C. inerme</i> (L.f.) Kuntze	8352000
<i>C. kuntzeanum</i> Bridson (= <i>C. pauciflorum</i> )	
<i>C. mundianum</i> Cham. & Schlectend. (incl. <i>C. gilfillanii</i> (N.E.Br.) O.B.Miller)	
<i>Cephalanthus natalensis</i> Oliv.	8230000
<i>Conostomium natalense</i> (Hochst.) Brem. var. <i>glabrum</i> Brem.	8136070
<i>Fadogia tetraquetra</i> Krause	8359010
<i>Galium spurium</i> L. subsp. <i>africanum</i> Verdc.	8486000
<i>G. thunbergianum</i> Eckl. & Zeyh. var. <i>hirsutum</i> (Sond.) Verdc.	
<i>Galopina circaeoides</i> Thunb.	8435000
<i>Hyperacanthus amoenus</i> (Sims) Bridson	8285040
<i>Keetia gueinzii</i> (Sond.) Bridson	8352050
<i>Kohautia amatymbica</i> Eckl. & Zeyh.	8136000
<i>Oxyanthus speciosus</i> DC.	8293000
<i>Pachystigma bowkeri</i> Robyns	8359000
<i>P. pygmaeum</i> (Schltr.) Robyns	
<i>Pavetta cooperi</i> Harv. & Sond.	8383000
<i>P. edentula</i> Sond.	
<i>P. eylesii</i> S.Moore	
<i>P. gardeniifolia</i> A.Rich. var. <i>subtomentosa</i> K.Schum.	
<i>P. kotzei</i> Bremek.	
<i>Pentanisia angustifolia</i> (Hochst.) Hochst.	8348000
<i>P. prunelloides</i> (Eckl. & Zeyh.) Walp. subsp. <i>?prunelloides</i>	
<i>Psychotria capensis</i> (Eckl.) Vatke	8399000
<i>P. zombamontana</i> (Kuntze) Petit	
<i>P. obovata</i> (Eckl. & Zeyh.) Bridson subsp. <i>elliptica</i> Bridson	
<i>Rothmannia capensis</i> Thunb.	8285010
<i>Rothmannia globosa</i> (Hochst.) Keay	
<i>Rubia horrida</i> (Thunb.) Puff	8489000
<i>Tarenna supra-axillaris</i> (Hemsl.) Brem. subsp. <i>barbertonensis</i> (Brem.) Bridson	8278000
<i>Tricalysia capensis</i> (Meisn. ex Hochst.) Sim var. <i>?galpinii</i> (Schinz) Robbrecht	8308000
<i>T. lanceolata</i> (Sond.) Burt Davy	
<i>V. infausta</i> Burch. subsp. <i>infausta</i>	

#### VALERIANACEAE

<i>Valeriana capensis</i> Thunb.	8532000
----------------------------------	---------

#### DIPSACACEAE

<i>Scabiosa columbaria</i> L.	8546000
<i>S. transvaalensis</i> S.Moore	

**CUCURBITACEAE**

<i>Coccinia adoensis</i> (A.Rich.) Cogn.	8628000
<i>Zehneria</i> sp. (JEB 4557)	8564000

**CAMPANULACEAE**

<i>Craterocapsa tarsodes</i> Hilliard & Burt	8668010
<i>Wahlenbergia lycopodioides</i> Schltr. & V.Brehm.	8668000

**LOBELIACEAE**

<i>Cyphia rogersii</i> S.Moore	8681000
<i>Lobelia erinus</i> L.	8694000
<i>Monopsis decipiens</i> (Sond.) Thulin	8695000

**ASTERACEAE (nom.alt. Compositae)**

<i>Acanthospermum australe</i> (Loefl.) Kuntze	9130000
<i>Achyrocline stenoptera</i> (DC.) Hilliard & B.L.Burt	8994010
<i>Adeneostemma caffrum</i> DC.	8785000
<i>Anisopappus smutsii</i> Hutch.	9096000
<i>Artemisia afra</i> Jacq.ex Willd.	9358000
<i>Aster bakeranus</i> Burt Davy ex C.A.Sm.	8900000
<i>A. comptonii</i> Lippert	SO
<i>A. harveyanus</i> Kuntze	
<i>Athrixia phyllicoides</i> DC.	9055000
<i>Berkheya echinacea</i> (Harv.)O.Hoffm.ex Burt Davy subsp. <i>echinacea</i>	9438000
<i>B. radula</i> (Harv.) de Wild	
<i>B. subulata</i> Harv. var. <i>subulata</i>	
<i>B. zeyheri</i> (Sond. & Harv.) Oliv. & Hiern	
<i>Bidens pilosa</i> L. *	
<i>Brachylaena rotundata</i> S.Moore	8936000
<i>B. transvaalensis</i> Phill.& Schweick.	
<i>Callilepis leptophylla</i> Harv.	9094000
<i>Cenia turbinata</i> (L.) Pers. *	9351010
<i>Chrysanthemoides monilifera</i> (L.) T.Norl. subsp. <i>septentrionalis</i> T.Norl.	9427020
<i>Conyza albida</i> Spreng. *	
8926000	
<i>C. pyrhopappa</i> Sch.Bip. ex A.Rich. subsp. <i>pyrhopappa</i> (det. NU)	
<i>C. ulmifolia</i> (Burm.f.) Kuntze	
<i>Crassocephalum crepidioides</i> (Benth.) S.Moore	9405010
<i>Dicoma anomala</i> Sond. subsp. <i>cirsiioides</i> (Harv.) Wild	9501000
<i>D. zeyheri</i> Sond.	
<i>Felicia filifolia</i> (Vent.) Burt Davy subsp. <i>filifolia</i>	8919000
<i>F. muricata</i> (Thunb.) Nees subsp. <i>muricata</i>	
<i>F. rosulata</i> Yeo	
<i>Euryops laxus</i> (Harv.) Burt Davy	9417000
<i>Gazania krebsiana</i> Less	9434000
<i>Geigeria burkei</i> Harv. subsp. <i>burkei</i>	9090000
<i>Gerbera ambigua</i> (Cass.) Sch. Bip.	9528000
<i>G. jamesonii</i> H.Bol. ex Adlam	
<i>G. piloselloides</i> (L.) Cass.	
<i>Haplocarpha scaposa</i> Harv.	9432030
<i>Helichrysum acutatum</i> DC.	9006000
<i>H. adenocarpum</i> DC. subsp. <i>adenocarpum</i>	
<i>H. albilanatum</i> Hilliard	
<i>H. aureolum</i> Hilliard	
<i>H. aureonitens</i> Sch. Bip.	
<i>H. aureum</i> (Houtt.) Merrill var. <i>monocephalum</i> (DC.) Hilliard	
<i>H. caespititium</i> (DC.) Harv.	
<i>H. callicomum</i> Harv.	
<i>H. cephaloideum</i> DC.	

<i>H. chionosphaerum</i> DC.	
<i>H. chrysargyrum</i> Moesser	
<i>H. confertifolium</i> Klatt	
<i>H. difficile</i> Hilliard	
<i>H. epapposum</i> H.Bolus	
<i>H. gerberifolium</i> Sch. Bip. ex A. Rich.	
<i>H. herbaceum</i> (Andr.) Sweet	
<i>H. homilochrysum</i> S.Moore	
<i>H. infusum</i> Burt Davy	
<i>H. interjacens</i> Hilliard	
<i>H. kraussii</i> Sch. Bip.	
<i>H. lepidissimum</i> S.Moore	
<i>H. leslei</i> Hilliard	
<i>H. mariepsopicum</i> Hilliard	
<i>H. miconifolium</i> DC.	
<i>H. milleri</i> Hilliard	
<i>H. mimetes</i> S.Moore	
<i>H. mixtum</i> (O.Kuntze) Moesser var. <i>mixtum</i>	
<i>H. monticola</i> Hilliard	
<i>H. molestum</i> Hilliard	
<i>H. mundtii</i> Harv.	
<i>H. mutabile</i> Hilliard	
<i>H. nudifolium</i> (L.) Less.	
<i>H. odoratissimum</i> (L.) Sweet	
<i>H. opacum</i> Klatt	
<i>H. oreophilum</i> Klatt	
<i>H. oxyphyllum</i> DC.	
<i>H. pallidum</i> DC.	
<i>H. panduratum</i> O.Hoffm. var. <i>transvaalense</i> Moeser	
<i>H. pilosellum</i> (L.f.) Less.	
<i>H. platypterum</i> (DC.) Sch. Bip.	
<i>H. polycladum</i> Klatt	
<i>H. reflexum</i> N.E.Br.	
<i>H. rugulosum</i> Less.	
<i>H. schlechteri</i> Bolus	
<i>H. setosum</i> Harv.	
<i>H. spiralepis</i> Hilliard & Burt	
<i>H. splendidum</i> (Thunb.) Less.	
<i>H. spodiophyllum</i> Hilliard & B.L.Burt	
<i>H. subluteum</i> Burt Davy	
<i>H. thapsus</i> (Kuntze) Moesner	
<i>H. truncatum</i> Burt Davy	
<i>H. umbraculigerum</i> Less.	
<i>H. wilmsii</i> Moeser	
<i>Inezia integrifolia</i> (Klatt.) Phill.	9337010
<i>Inula ?glomerata</i> Oliv. & Hiern	9061000
<i>Lopholaena coriifolia</i> (Sond.) Phill. & C.A.Sm.	9401000
<i>L. disticha</i> (N.E.Br.) S.Moore	
<i>Mikania natalensis</i> DC.	8818000
<i>Nidorella auriculata</i> DC.	8925000
<i>Othonna natalensis</i> Sch. Bip.	9420000
<i>Phymaspermum acerosum</i> (DC.) Kallersjo (= <i>Athanasia acerosa</i> )	
9336000	
<i>P. athanasioides</i> (S.Moore) Kallersjo	
<i>Printzia ?huttonii</i> Harv.	9059000
<i>Pseudognaphalium oligandrum</i> (DC>) Hilliard & B.L.Burt	
8992050	
<i>P. undulatum</i> (L.)Hilliard & Burt	
<i>Schistostephium artemisiifolium</i> Baker	9356000

*S. heptalobum* (DC.) Oliv. & Hiern  
*S. rotundifolium* (DC.) Fenzl ex Harv.  
*Senecio barbertonicus* Klatt  
9411000  
*S. brachypodus* DC.  
*S. coronatus* (Thunb.) Harv.  
*S. deltoideus* Less.  
*S. gerrardii* Harv.  
*S. glanduloso-pilosus* Volken & Muschl.  
*S. latifolius* DC.  
*S. microglossus* DC.  
*S. oxyriifolius* DC.  
*S. panduriformis* Hilliard  
*S. pleistocephalus* S.Moore  
*S. polyanthemoides* Sch.Bip.  
*S. scitus* Hutch. & Burt Davy  
*S. serratuloides* DC. var. *serratuloides*  
*S. serratuloides* DC. var. *gracilis* Harv.  
*S. tamoides* DC.  
*Stoebe vulgaris* Levyns 9037000  
*S. sp.* (J.E.B.5694)  
*Stomatanthes africanus* (Oliv. & Hiern) R.M.King & H.Rob. 8816010  
*Tagetes minuta* L.\* 9311000  
*Tarchonanthus camphoratus* L. 8937000  
*T. trilobus* DC. var. *galpinii* (Hutch. & Phill.) J.Paiva  
*Tenryhnea phylcifolia* (DC.) Hilliard & Burt 8994000  
*Vernonia galpinii* Klatt. 8751000  
*V. hirsuta* (DC.) Sch.Bip.  
*V. myriantha* Hook.f.  
*V. natalensis* Sch. Bip.  
*V. oligocephala* (DC.) Sch.Bip. ex Walp.  
*V. poskeana* Vatke & Hildebr. subsp. *botswanica* G.V.Pope  
*V. tigna* Klatt (= *V. neocorymbosa* Hilliard)  
*V. wollastonii* S.Moore